

# Rittal – The System.

Faster – better – everywhere.

## Digital Brochure

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



# Command Panel with Handle Strips



System accessories Page 421 Support arm systems Page 127 Stand systems Page 156 Command panel stainless steel Page 183

## Material:

- Housing and door: Carbon steel
- Handle strips: Aluminum
- Front panel: Aluminum
- Cover caps: Plastic

## Surface finish:

- Housing and door: Dipcoat-primed, powder-coated on the outside, textured paint
- Handle strip: Natural anodized
- Front panel: Natural anodized

## Color:

- Housing and door: RAL 7035
- Handle strip: Natural anodized
- Front panel: Natural anodized
- Cover caps: Similar to RAL 7024

## Protection category IP to IEC 60 529:

- IP 55

## Protection category NEMA:



- NEMA 12

## Supply includes:

- Housing with cut-out and reinforcement for support arm connection Ø 130 mm
- Front with maximum cut-out, covered with easily machinable 3 mm aluminum front panel
- Side handle strips and cover caps
- Cam lock with 3 mm double-bit insert
- Integral interior mounting bracket with TS system punchings

## Note:

- The support arm connection and door catch may be swapped over by rotating the housing
- Optional: Support arm connection Ø 130 mm, preformed off-center in the reinforcement plate, easily drilled out



- Lock systems for servicing access from the front: 41 mm lock inserts, lock cylinder, plastic handles and T-handles, type C
- Lock systems for servicing access from the rear: 41 mm lock inserts, type A, lock cylinder, plastic handles and T-handles, type B

## Approvals:

- CSA

## Technical details:

Available on the Internet

Height inches (mm)	Packs of	8 (200)	12 (300)	12 (300)	15 (380)	15 (380)	Page
Width (B) inches (mm)		12 (300)	12 (300)	15 (380)	15 (380)	15 (380)	
Depth (T) inches (mm)		6 (155)	8 (210)	8 (210)	8 (210)	8 (210)	
Model No.	1 pc(s).	<b>6320.000</b>	<b>6315.100</b>	<b>6315.200</b>	<b>6315.300</b>	<b>6320.300</b>	
Weight lb (kg)		10 (4.5)	16 (7.0)	17 (7.5)	22 (9.8)	22 (9.8)	
Servicing access	From the rear	■	–	–	–	■	
	From the front	–	■	■	■	–	
<b>Accessories</b>							
TS System Chassis 17 x 73 mm	4 pc(s).	–	8612.130	8612.130	–	–	522
TS Punched Rail 18 x 38 mm		–	–	–	–	–	525
TS Support Strips	20 pc(s).	–	–	–	4594.000	4594.000	525
Mounting Bracket	4 pc(s).	4597.000	4597.000	4597.000	4597.000	4597.000	531
	4 pc(s).	6205.100	6205.100	6205.100	6205.100	6205.100	532
Mini-Comfort Handle		–	–	–	–	see page	485

# Command Panel with Handle Strips

<b>Height</b> inches (mm)	Packs of	20 (500)	20 (500)	15 (380)	24 (600)	24 (600)	Page
<b>Width (B)</b> inches (mm)		20 (500)	20 (500)	24 (600)	24 (600)	24 (600)	
<b>Depth (T)</b> inches (mm)		8 (210)	8 (210)	8 (210)	8 (210)	8 (210)	
<b>Model No.</b>	1 pc(s).	<b>6315.400</b>	<b>6320.400</b>	<b>6320.500</b>	<b>6315.600</b>	<b>6320.600</b>	
Weight lb (kg)		37 (16.8)	37 (16.8)	34 (15.4)	50 (22.8)	50 (22.8)	
Servicing access	From the rear	-	■	■	-	■	
	From the front	■	-	-	■	-	
<b>Accessories</b>							
TS System Chassis 17 x 73 mm	4 pc(s).	8612.150	8612.150	-	8612.160	8612.160	522
TS Punched Rail 18 x 38 mm	4 pc(s).	8612.250	8612.250	-	8612.260	8612.260	525
TS Support Strips	20 pc(s).	4695.000	4695.000	4594.000	4696.000	4696.000	525
Mounting Bracket	4 pc(s).	4597.000	4597.000	4597.000	4597.000	4597.000	531
	4 pc(s).	6205.100	6205.100	6205.100	6205.100	6205.100	532
Mini-Comfort Handle		-	see page	see page	-	see page	485

**Support Arm System  
CP 60/120/180**

See page 127

**New**