Rittal - The System.

Faster – better – everywhere.

Digital Brochure



Rittal - The System.

Faster – better – everywhere.



Stainless Steel

Small Housing Junction Boxes KL	
Compact Enclosures Wall-Mounted Housing WM	1
Enclosure Systems TS 8 Stand Systems	8
System Enclosures SE 8, IP 66/NEMA 4X	
Command Panel Housing with Door	3
Support Arm System Support Arm System CP 40132	2

Rittal Catalog 34/Enclosures 167

Command Panel Housing with Door



System accessories Page 421 CP 40 support arm system, stainless steel Page 132 Hygienic Design Page 161

Material:

- Housing and door: Stainless steel 1.4301 (AISI 304)
- Handle strips: Plastic approved for use with foodstuffs

Surface finish:

- Brushed, grain 240

Handle strips: Similar to **RAL 5002**

Protection category IP to IEC 60 529:


- IP 66

Approvals:

- ΤÜV
- CSA

- Supply includes:
 Housing of all-round solid construction
- Cut-out and reinforcement for support arm system CP 40 stainless steel
- Fastener with guide plate
- Door with sealing frame and side handle strips
- Lock: 3 mm double-bit

- The support arm connection and door catch may be swapped over by rotating the housing
- Matching mounting plates from compact enclosures AE may be used
- 3 mm double-bit lock insert may be exchanged for 41 mm lock inserts, plastic handles and Thandles, type C



Technical details:

Available on the Internet

Stainless steel

Height (H) inches (mm)	Packs of	12 (300)	12 (300)	16 (400)	16 (400)	Page
Width (B) inches (mm)		12 (300)	16 (400)	16 (400)	24 (600)	
Depth (T) inches (mm)		6 (150)	6 (150)	6 (150)	6 (150)	
Model No.	1 pc(s).	6535.010	6536.010	6538.010	6539.010	
Weight lb (kg)		13.9 (6.3)	16.5 (7.5)	19.4 (8.8)	26.6 (12.1)	
Accessories						
Support Rails TS 35/7.5	10 pc(s).	2316.000	2317.000	2317.000	-	530
Lock Systems		from page	from page	from page	from page	481