

# Rittal – The System.

Faster – better – everywhere.

## Digital Brochure

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



# Rittal – The System.

Faster – better – everywhere.



# System Accessories

## Base/Plinth

Flex-Block Base/Plinth System .....	424
TS Base/Plinth .....	426
Base/Plinth .....	433

## Base

Base .....	435
------------	-----

## Walls

Sidewalls .....	450
Partition Walls .....	453
Interconnect Kit .....	458

## Baying Systems

Baying .....	460
--------------	-----

## Doors/Locks

Door Models .....	467
Expansion Accessories for TS Modular Front Design .....	469
Viewing Windows/Operating Panels .....	473
Lock Systems .....	478
Hinges .....	492
Door, External/Internal .....	493

## Roof/Wall Mounting

Roof .....	499
Wall Mounting .....	503

## Interior Fittings

Mounting Plates .....	507
Rail Systems .....	514
Assembly Components .....	533
Component Shelves .....	540
System Lights .....	545
EMC .....	551
Interior Fittings for Areas at Risk of Earthquake .....	554
Grounding .....	555

## Cable Routing

Cable Entry .....	561
Flange Plates .....	564
Cable Gland .....	568
Cable Gland .....	569
Cable Management .....	572
Cable Routing 19" .....	582

## 19" Installation System

Pivoting Frame .....	587
Accessories for Data Rack .....	591
Profile Rails .....	592
Slide Rails .....	596
19" Fittings .....	598
Patch Panels .....	603
Splicing Boxes .....	604

## Human/Machine Interface

Handles .....	605
External Mounting Accessories .....	607
Front Fittings .....	608
Keyboards, Supports and Drawers .....	610
Interfaces .....	617
Signal Pillars .....	619

## Technical Information

RittalXpress .....	622
CE/Grounding/HD/Model Numbers .....	623
Protection Categories .....	624
NEMA .....	625
Approvals/Equipment Grounding Conductor .....	627
Coating/Spray Finish .....	628



## Door models

### Tubular door frame

#### for TS, TS IT, SE

Suitable for carbon steel doors that can accommodate tubular door frames.

#### Material:

- Pipe section: Carbon steel
- Corner connectors: Plastic


#### Surface finish:

- Pipe section: Zinc-plated

#### Supply includes:

- Assembly components

For doors		Packs of	Model No.
Height inches (mm)	Width inches (mm)		
79 (2000)	12 (300)	1 set(s)	<b>5501.200</b>
79 (2000)	16 (400)	1 set(s)	<b>5501.210</b>



### Glazed door

#### for TS, TS IT

Alternative to a carbon steel door or rear wall.

#### Material:

- Frame: Extruded aluminum section
- Corner pieces: Die-cast zinc
- Viewing window: Single-pane safety glass, 3 mm

#### Surface finish:

- Powder-coated

#### Color:

- Frame and corner pieces: RAL 7035
- Viewing window (printed mask on the inside): RAL 9005

#### Protection category IP to IEC 60 529:

- IP 55

#### Supply includes:

- Glazed door frame with safety glass
- Locking rod closure with double-bit lock insert
- 180° hinges (4 pcs)
- Visible area: H -160 mm, W -140 mm

For enclosures		Model No.
Height inches (mm)	Width inches (mm)	
71 (1800)	24 (600)	<b>8610.685</b>
71 (1800)	32 (800)	<b>8610.885</b>
79 (2000)	24 (600)	<b>8610.605</b>
79 (2000)	32 (800)	<b>8610.805</b>
87 (2200)	24 (600)	<b>8610.625</b>
87 (2200)	32 (800)	<b>8610.825</b>



#### Also required:

- When mounting instead of the rear wall or double door: lock components for frame 8800.040, see page 468



### Handle adapter

The handle adapter is fitted to the beveled door profile to provide a suitable surface for the installation of a comfort handle.

#### Material:

- Plastic

#### Supply includes:

- 1 adapter plate
- 1 bolt to extend the screw-on dome
- 2 assembly screws

#### For TS glazed door

Color	Model No.
RAL 7035	<b>8611.080</b>

#### For PC, lower door

Color	Model No.
RAL 7035	<b>8611.300</b>



# Doors/Locks

## Door models



### Lock components

#### for TS, TS IT, SE

To retrofit a glazed door or carbon steel door in place of a rear wall.

#### Material:

- Die-cast zinc

#### Supply includes:

- Assembly screws

Packs of	Model No.
4 pc(s).	<b>8800.040</b>



### Lockable and adjacent door

#### for TS, TS IT, SE

Where, for example, two 400 mm doors are to be used instead of one 800 mm wide door to provide for escape routes.

#### Material:

- Carbon steel

#### Surface finish:

- Dipcoat-primed, powder-coated on the outside

#### Supply includes:

- 2 doors incl. tubular door frame, hinges and lock components

For enclosures		Color RAL	Model No.
Height inches (mm)	Width inches (mm)		
79 (2000)	32 (800)	7035	<b>8801.450</b>



#### Accessories:

- Lock system, see page 482